


Ober et al.
System And Method For
Generating De-Identified
Health Care Data
10/801,086
17101.0003U2
1 of 17

Application No. Docket No. Sheet:



Series product • Creates "cube" files which will be deployed to production web site Email is automatically sent to "cube available for QA" distribution list One process initiated for each cube within each QUINTERNET One process initiated for each cube within each QUINTERNET Create a table with appropriate claims data for processing • Pull appropriate medical claims diagnosis codes Create member identification numbers Applies clinical logic to claims data
 Aggregates data Series product Notify Synergy QA team of cube(s) FIG.1A-2 creation Z • Secure data transmission Process Steps 1,2, Get memids and (data marts) via Pull Appropriate From FIG1A-1 Clinical Logic/ Aggregation Mx diags RSSERVER Build "Cube" and 3 Data (*.mdc) to server (synolap1) in Richardson, TX FTP cube files /coduos_dev) files (*.mda) for FTP delivery to Richardson, TX Create meta data • One process initiated for each cube within each QUINTERNET Series process initiated for each Automatically initiated from Where appropriate, one cube within each QUINTERNET Series RSSERVER processes product product

Ober et al.

10/801,086 17101.0003U2 2 of 17

SYSTEM AND METHOD FOR GENERATING DE-IDENTIFIED HEALTH CARE DATA

Inventor:

Application No. Docket No. Sheet:

Title:

GENERATING DE-IDENTIFIED HEALTH CARE DATA 10/801,086 17101.0003U2 3 of 17 Application No. Docket No. Sheet: Approval process initiates e-mail to distribution
 Approval process initiates FTP of metadata file to Richardson, TX Quality Assurance check validates cubes before being deployed to production Enable cubes in environment for Quality Assurance check FIG. 1B-1 Secure data transmission Serve up cube files for QA Synergy QAs cubes cube files (*.mdc) Verify receipt of and approves production deployment 106 106 to server (synolap) in Richardson, TX Process initiated daily at 8:05 pm Verify receipt of metadata FTP meta data (*.mda) Copy metadata (*.mda) files from/cognos_dev Automatically generate web pages using new (/cognos dev/meta) meta data files cognos_prod files (*.mda) To FIG1B-2 Secure data transmission metadata files and cube files have been received for cube deployment development directory to · Where appropriate, copy Where appropriate, validate that metadata files from processing directory SIE SIE to production

Inventor:

Title:

Ober et al.

SYSTEM AND METHOD FOR

Ober et al.
System And Method For
Generating De-Identified
Health Care Data
10/801,086
17101.0003U2
4 of 17 Application No. Docket No. Sheet: Disable current cube in production and prepare new cube to "serve up" for production Copy newly created cube files to production directory form development directory Enable current cube in production Copy cube (*.mdc) files from production wab site /cognos_dev to **Enable Cube For** cognos_prod Disable Cube Access cognos_prod/meta to cognos_archive/meta Move *.mda files from files if all cubes for production web site From FIG1B-1 Post updated web product updated Archive product pages to new html created files to production backup • If all cubes for a product are updated for the week, archive that product's data Move *.mda files and

Inventor: Title:

Ober et al.

System And Method For Generating De-Identified Health Care Data 10/801,086 17101.0003U2

Application No. Docket No. Sheet:

5 of 17




FIG.1C

 Triggered by FPA upon receipt of flag files from the Triggered by FPA upon receipt of flag file from Rx data load Triggered by FPA upon receipt of flag file from Weekly Pull Upon process completion, each category process Creates Multiple categories for each TC are synchronised before Each TC process Creates flag file for FPA Upon process completion, creates flag file for FPA Cognos Cube file name: mm****.mdc • One process kicked off for each TC One process kicked off for each category. Creates a table with 1 week of data merge tables processes. flag file for FPA merging. Cube build steps 1.2 & 3 running rsserver tables Stage Create Cube Weekly Pull TO FIG.2B Merge Sync Load Envoy Rx Antibiotics (Pediatric) Reumatoid Arthritis Data 103 Antibiotics (Adult) Antihypertensives cough & Cold :holesterol epression mpotence 105 **Diabetes** migraine Intivira **Isthma** besity Triggered by eron job upon receipt of Rx data Upon process completion, creates flag file for FPA Loads Oracle database Where **** is: -nsaid -obes deb disp disp -chol

Inventor:

Application No. Docket No. Sheet:


Title:


Ober et al.

6 of 17

SYSTEM AND METHOD FOR GENERATING DE-IDENTIFIED

HEALTH CARE DATA 10/801,086 17101.0003U2





Inventor:

Title:

Ober et al.

SYSTEM AND METHOD FOR GENERATING DE-IDENTIFIED HEALTH CARE DATA Inventor: Tale:

Ober et al. SYSTEM AND METHOD FOR

Application No. Docket No. Sheet:

GENERATING DE-IDENTIFIED HEALTH CARE DATA 10/801,086 17101.0003U2 9 of 17





FIG.3A

Ober et al.
System and Method For
Generating De-Identified
Health Care Data
10/801,086
17101.0003U2
10 of 17

Application No. Docket No. Sheet:



Application No. Docket No. Sheet:

Ober et al.
System And Method For
Generating De-Identified
Health Care Data
10/801,086
17101.0003U2
11 of 17





FIG.3C

Inventor: Tale:

Application No. Docket No. Sheet:

Ober et al.
System And Method For
Generating De-Identified
Health Care Data
10/801,086
17101.0003U2
12 of 17



Ober et al.
SYSTEM AND METHOD FOR
GENERATING DE-IDENTIFIED
HEALTH CARE DATA

Application No. Docket No. Sheet: HEALTH CARE DATA 10/801,086 17101.0003U2 13 of 17




FIG.5




FIG.6

Ober et al.
System And Method For
Generating De-Identified

Application No. Docket No. Sheet: HEALTH CARE DATA 10/801,086 17101.0003U2 14 of 17




FIG.7

Ober et al.
System And Method For

GENERATING DE-IDENTIFIED HEALTH CARE DATA

Application No. Docket No. Sheet: HEALTH CARE D 10/801,086 17101.0003U2 15 of 17




FIG.8




FIG.9

Ober et al.
SYSTEM AND METHOD FOR
GENERATING DE-IDENTIFIED
HEALTH CARE DATA
10/801,086

17101.0003U2

16 of 17

Application No. Docket No. Sheet:




FIG.9A




FIG.10

Inventor: Tale:

Application No. Docket No. Sheet: Ober et al.
SYSTEM AND METHOD FOR
GENERATING DE-IDENTIFIED
HEALTH CARE DATA
10/801,086
17101.0003U2

